

BRAND: SAFEAGLE

MODEL: SE1806

CODE: D126601012

6-ZONE AND 18-SUB-ZONE PINPOINT METAL DETECTOR GATE

1. Description:

This detector arc 18 zonesThe locator has an LED display integrated into its control, allowing fast and accurate detection of metal objects hidden in the person's body such as weapons, knives and others. It has 255 levels of sensitivity for each zone and a simple software interface, which makes it easier for installation and maintenance.

2. Characteristics:

- It has 18 independent zones of sensitivity adjustment.
- Adjustable sensitivity of each zone, multi-alarm sounds to choose from.
- Operating frequency can be adjusted manually or automatically.
- Detection technology, no angle or blind spot.
- Statistics: records the number of people and number of alarms.
- Detection speed: more than 60 people pass and detect for one minute.
- It is not dangerous to the human body, nor people with pacemakers, pregnant women, magnetic disk.
- Two detection modes, P0 for standard detection, P1 for flying object detection.
- 16 adjustable working frequencies to adjust and eliminate the potential effects of X-ray device, radio and other electrical interface sources.

3. Technical specifications:

- **Detection zones:** 18 independent zones of sensitivity adjustment.
- **Led screen.**
- **Sensitivity level for each zone (independently adjustable):** 0 to 255.
- **Operating voltage:** AC 220V, 50-60 Hz
- **Energy consumption:** <30 w.
- **Team size:**2200 (height) x 860 (width) mm x 500 (thickness)
- **Operating temperature:** -20 ° C - + 45 ° C.
- **Working frequency range** : 1-16 bands


4.- Standards and certifications:

- EN60950, EN50081, GB15210-2003, CE, RoHS, ISO14001, OHSAS 18001

5.- Product image:



6.- Application images:



7.- Optional accessories (Not included in the cost of the product)

- Removable wheels
- Backup Crossbar Battery
- PC network for software system control.
- Pending metal detector divestment table, collect and manage personal metal items in transit.
- Integrated turnstile for access control
- Two ports in both side tunnels

NOTE:

1. This technical specification is for reference only, it is subject to modification or update without prior notice.
2. These specifications and images are for illustration purposes only, they do not imply any preference, definition, warranty, ownership or obligation.
3. The use of this information by any person, company and / or entity is under their own responsibility.
4. We disclaim any liability for their use.

Revision A 2020